

PREVOST. THE ULTIMATE EXPERIENCE

Prevost Motorhome Expo

West Palm Prevost-Stuff

Robert Hitt



Prevost Technical Institute™




- Get to know your VIN
- Scheduled maintenance
- Prevost Service Network
- Customer Support
- Prevost APPS
- Prevost Uptime

Service Maintenance Resources



VEHICLE IDENTIFICATION NUMBER (SHORT VIN)




Prevost Technical Institute™

Service recommendations vary by model and vin as well as options

	Odometer reading ¹ (miles / km) For higher odometer readings, repeat at the frequency interval established												7																		
LUBRICATION AND SERVICING SCHEDULE	ltem	Months	6 250 / 10 000		~ *	/ 30	~ •	31 250 /	37 500 /	43 /5U / E0 000 /	A 56 250 / 90 000	62 500 /	75 000 /	81 250 /	87 500			112 500 /	118 750		~ *	137 500 / 220 000 113 750 / 230 000		185 000 / 300 000	. ~	8 250 000 / 400 000	300 000 / 440 000 300 000 / 500 000		. ~		LUBRICANT /FLUID ²
GENERAL	i																							i					i i		
Flexible hoses, thoroughly inspect all hoses	-	12									•						•						•								
01 ENGINE																															
Air cleaner, change as per mileage or according to restriction indicator	30	24																					•								
Engine oil and filter, change (normal [∛] operation condition) Volvo recommends 35,000miles/55,000km	24						1	•				•				•				•											А
Engine oil and filter, change (heavy ³ operation condition)	24					1	•			•	Ð		•				•			•			•								А
Valves and injectors, initial adjust	-	12																		•											
Valves and injectors, check and adjust	-	24																								•					
Drive belts, check	-	36																									•	•			
03 FUEL	İ																							i 🛛						Ī	
Primary & secondary fuel filters, change at every engine oil change Volvo recommends 35,000miles/55,000km	21 22						1	•				•				•				•											
Preheater fuel filter, replace	50																						•								
04 EXHAUST AND AFTERTREATMENT SYSTEM																															
DPF filter, change	-			Ì																				İ		•					
DEF tank, drain and clean with water, clean filler neck strainer	32	12																						•)						
DEF pump, replace filter element	32	36																					•								
05 COOLING																															
Cooling fan gearbox, check oil level and add if required	25	6			•	1	•		•		Ð	•	•		•		•	•		•	1	•	•								G
Cooling fan gearbox, change oil	25	12								•	Ð						•						•								G
Coolant surge tank, test coolant solution	27	12			•	1	•	1	•	•	Ð	•	•		•		•	•		•	1	•	•								
Coolant filter, change (with Extended Life Coolant)	28	12																					•								
Cooling system, drain, flush & refill (with Extended Life Coolant) (may require "extender")	27	48																											•		С
06 ELECTRICAL																															
Battery terminals, clean and coat terminals	-	12																													
Bosch HD10 alternator brushes, check and replace if required (commuter application)	-	-									Ð						•						•								

¹ Proceed to maintenance operation at distance indicated on odometer or specified number of month, whichever comes first.
² See paragraph 2.2 of this section for lubricant specifications.
³ Normal=fuel consumption more than 6 MPG (less than 39 L/100km); Heavy= fuel consumption between 4.7 MPG and 6 MPG (between 39 L/100km and 50 L/100km)

VOLVO D13 EPA 10 FORWARD



MTH Service & Maintenance

We have maintenance recommendations based on months rather than millage for customers that stay under the millage recommendations for these services.

Ask your service advisor for details on this as well as our UPTIME service agreements that lock in maintenance costs



5 LUBRICATION AND SERVICING SCHEDULE - MOTORHOMES

LUBRICATION AND SERVICING SCHEDULE H3-45 VIP & X3-45 VIP MOTORHOMES (Private Use) A red stripe in the left margin of the schedule highlights the latest changes	ITEM	EVERY (months)	LUBRICANT / FLUID ⁸
GENERAL			
All flexible hoses – inspect		12	
H3 VIP Series only: Main power compartment fan air filter - inspect		12	
01 ENGINE			
Engine oil and filters – change	24	12	<u>A B C</u>
Air cleaner – change filter element	30	24	
Engine mounted alternators & house alternator(s) - change drive belts and intermediary drive belts		24	
Drive belts (all) – check tension, inspect for cracks or frayed material, change belt that display obvious wear or defects		12	
Drive belts (all) – change		24	
Valves and injectors - initial adjustment: after 2 500 hours or 36 months whichever occurs first	24	36	
Valves and injectors - check and adjust: every 5 000 hours or 72 months whichever occurs first	24	72	
03 FUEL			
Primary fuel filter & secondary fuel filter – change at every engine oil change	21, 22		
04 EXHAUST AND AFTERTREATMENT SYSTEM			
DPF filter – either clean or change filter cartridge after 4 500 hours	33		
Aftertreatment Hydrocarbon Injector (AHI) nozzle – change after 4 500 hours			
DEF tank – drain and clean with water, clean filler neck strainer	32	12	
Diffuser assembly, rain cap & drain tube – check proper functioning, clean	34	24	
DEF pump – change filter element	32	36	


Service Network



At Prevost, we share your passion for excellence. Our relentless pursuit of perfection continues long after a new coach heads off for a lifetime of service.

- 16 Prevost Service Centers
- More than 175 Prevost-trained and certified service providers
- Team of regional Customer Support Managers for urgent response
- The largest service network of any manufacturer in the industry
- Technical trainers to help keep your staff up to date

FILTER



PREVOST SERVICES OFFERED

- Warranty repairs and campaigns execution.
- Routine Maintenance •
- **Detailed Mechanical Inspections** •
- Volvo Engine Diagnostics and • Repairs
- **Electronic Diagnostics** ٠
- HVAC Maintenance and Repairs •
- **Collision Repairs** ٠
- Retrofits •
- **Refurbishing Programs** •
- Fire Restoration and Refinishing ٠
- **Mobile Service** •
- Red Carpet Treatment ٠
- Remanufactured Engines
- EFD retrofit •












PREVOST PARTS




Prevost's experienced team provides technical support and fast, reliable delivery of quality parts, components and specialized tooling.


- Parts Assist / Online ordering
- Parts for all Prevost models and for most other motorcoaches
- 24/7 emergency parts ordering and shipping
- 24/7 online parts ordering with special discounts
- Same day shipping of stock parts anywhere in the U.S. and Canada for orders received before 2 p.m.
- Online parts catalog



24/7 ROADSIDE ASSISTANCE









Prevost Uptime®

Preventive Service Agreement

Uptime Agreements

MAINTENANCE INTERVALS

SERVICE AT A GLANCE

PREVH, PREVX Model Year 2011 and newer (not applicable for Commuter Coaches)

D13 Engine EPA 2010 compliant engines and newer		Heavy 6 mpg or less 39 L / 100km or greater	Normal Greater than 6 mpg Less than 39 L / 100km						
Engine Oil & Filters, Fuel Filters (Replace)	Miles	45,000	60,000						
Using Volvo Premium VDS-4.5 Motor Oil	Km	70,000	95,000						
If idle time is greater than 30%, use Heavy drain leve!	Hours	1,300	1,700						
Using Other Volvo Approved VDS-4.5 Motor oils	Miles	40,000	55,000						
If idle time is greater than 30%, use Heavy drain level	Km	65,000	90,000						
	Hours	1,200	1,600						
Using Volvo Premium VDS-4 Motor Oil	Miles	35,000	45,000						
If idle time is greater than 30%, use Heavy drain level	Km	60,000	75,000						
	Hours	1,000	1,300						
Air Filter Replace the air filter	Time		air restriction indicator. 24 months						
Coolant	Miles	750	000,						
xtended Life Coolant. Can only be topped off with premixed 50/50	Km	1,200,000							
Extended Life Coolant when coolant level is low	Time	96 months							
Coolant Filters	Miles	150	,000						
Long Life Filter without additives to be used with Extended Life	Km	240,000							
Coolant	Time	12 months							
	Miles	150,000 / then	every 300,000						
Valve Adjustment	Km	240,000 / then	every 500,000						
	Time	12 months / then	every 24 months						
Fan & Accessory Drive Belts	Miles	31,	250						
Inspect at every preventive maintenance	Km	50,000							
	Time	12 m	onths						
Radiator Fan Gearbox	Miles	12,	500						
Check cil level, add if necessary	Km	20,	000						
view, on level, and in neucosally		6 months							
Change oil and seals	Miles	106	,000						
unange un and ocala	Km		0,000						
Alternators	Miles	31,	250						
Check alternator drive belt for wear and proper tension	Km	50,	000						
	Time	3 m	onths						


Exhaust Aftertreatment System		Heavy	Normal						
Diesel Particulate Filter (DPF)	Miles	400,000							
Either clean the ash from the DPF or replace DPF	Km	650,000							
	Hours	10,000							
Aftertreatment Hydrocarbon Injector (AHI)	Miles	150,000							
VIY 2011 to 2012, clean AHI nozzle	Km	240,000							
MY 2012 and newer (Parker AHI) replace AHI nozzle	Hours	4,500							
DEF, Pump & Tank Filler Neck Filter	Miles	150,000							
Drain DEF tank, Replace DEF pump main filter, Clean	Km	240,000							
DEF tank neck filter	Hours	4,500							
Transmission		Heavy	Normal						
n seren her en h	Miles	500 000 (Volvo I-Shift transmission Fluids or ot	her Volvo approved oils)						
I-Shift Transmission		800 000 (Volvo I-Shift transmission Fluids or other Volvo approved							
	Time	60 months (Volvo I-Shift transmission Fluids or o	other Volvo approved oils						
Allison Transmission B500, B500R (retarder)	Miles	25 000 (12 000 B	500R)						
Vith TES389 approved fluid and Prognostics mode disabled - change	Km	40 000 (20 000 B	500R)						
ransmission fluid, Main & Lube filters	Time	12 months (6 months	B500R)						
With TranSynd or TES295 synthetic fluid only, no mixture and Prognostics mode disabled - change transmission fluid, Main & Lube filters	Miles	Fluid: 300 000 (150 000 B500R)	Filters: 75 000						
	Km	Fluid: 480 000 (240 000 B500R)	Filters: 120 000						
iters	Time	Fluid: 48 months Filte	ers: 36 months						
Vith TranSynd or TES295 synthetic fluid only, no mixture and Prognostics mode enabled - change fluid & filters	Time	60 months or when indicated by TRANSMISS	SION SERVICE indicat						
With TES389 approved fluid with Prognostics mode enabled - change luid & filters	Time	24 months or when indicated by TRANSMISS	SION SERVICE indicat						
Chassis		Heavy	Normal						
Power Steering	Miles	100,000							
Check power steering fluid condition through visual inspection	Km	160,000							
	Time	12 months							
Change power steering fluid filter	Time	12 months							
Differential	Miles	25,000							
	Km	40,000							
	Time	6 months							
	Miles	100 000 / Synthetic Oil 250 000							
Change oil and clean the breather, magnetic fill and drain plugs	Km	160 000 / Synthetic Oil 40	0 0 00 0						
	Time	12 months / Synthetic Oil 48	months						

Prevost Uptime | Pre

Preventive Service Agreement



Seamless process



Prevost UPTIME Maintenance Service Agreements are designed to help you

- Maximize UPTIME, and reduce unplanned stops
- Ease budgeting by fixed costs
- Lock in parts and labor rates
- Allow us to remind you of Preventive maintenance services
- Focus on your life style



Calculator Example

VALID ONLY for 2021 Branch	Labor Rate	Oil Change Interval:	Annual Mi	Years:			Contra	ict miles	Months	Units	Monthly Payment per Unit (USD)	Contract P	rice (USD)	Payment opti per visit (4)
FL - Orlando		45,000	10,000	2			20	,000	24	1	\$280.18	\$6,72	4.27	\$1,681.07
Operation	Include?	Interval	Max months	Part no	Part quantity	Part price per unit or liter	Hours	# of Services	Average services per year	Labor cost (USD)	Material cost (USD)	Total cost life (USD)	USD/MI	
							_	_						
Preventive Maintenance Item Engine oil and Filters (Volvo D13)	Vaa		12					1	1		1	1		
Engine on and Filters (volvo D 13)	Yes		12											-
Engine Air Filter Replacement	Yes		24											
Coolant Filter	Yes		12				-							-
	100													1
Valve Adjustment	Yes		24											
Gear Box oil replacement	Yes		12											-
· · · ·														1
Replace AHI and DEF filter Tune up	Yes		24											-
Replace Transmission Fluid (Allison)	Yes		12											-
														1
Replace Transmission Filter (Allison)	Yes		36											-
Replace Power Steering Filter	Yes		12											-
]
Replace Transmission Cooler	No		24											-
Replace Differential Oil	Yes		12											1
Lube Obseries and Outserseiter	V		-											
Lube Steering and Suspension	Yes		6											-
Generator Service (per unit)	No		12		2									
Perform Annual DMI	No		12				_							4
Penorm Annual DMI	No		12											-
Perform 3 Axle Alignment	No		24											1
Annual A/C Inspection	Yes		12				-							-
	165		12											-
Annual Wiper Blade Replacement	Yes		12]
Air System Service	Yes		24											-
	103		24											1
Tensioner Pulley and Belt inspection	Yes		6]
Replace all belts annually	Yes		6											-
			<u> </u>											1
Brake Lining Inspection (no Wheels Remove	d) Yes		12											1



THE ULTIMATE EXPERIENCE

