

Legendary
Luxury Coach



PREVOST
THE 'ULTIMATE' CLASS

Legendary

An expression of elegance - A standard of excellence.

Refined, sophisticated and intelligent - our Legendary Luxury Coaches will surpass your expectations for comfort and performance. Exceptionally spacious, and offering an abundance of amenities, every detail has been thoughtfully designed to indulge and pamper as well as optimize functionality.

Our team of skilled craftsman have years of experience, and use their expertise with one goal in mind:






To create the ultimate luxury coach.

Each coach is meticulously crafted with optimal living space and storage.

The most recent technological advances, combined with the intelligent use of new and exciting materials, means a coach with increased performance and more interior space than ever.

Imagine the perfect blend of sophistication and pure luxury living.

Discover the Legendary difference.



PREVOBY
XL II 48'

*Due to constant product improvements The *Legendary Luxury Coach* product is subject to change without notice or obligation. Illustrations are for display purposes only.

2006 STANDARD EQUIPMENT LIST

CHASSIS SPECIFICATIONS

Prevost XLII double slide chassis 2005 Model Year features a combination of stainless steel and high tensile steel integral body and frame structure with a stainless steel outer shell up to window level.

1. Exterior length: 45'
2. Exterior clearance height: 12' 10"
3. Exterior width: 102"
4. Finished interior height: 84"
5. GVW: 54,500 lbs.
6. Wheelbase: 315"
7. Height, cabin floor: 48.5"
8. Usable floor length completely flat 37.75'
9. Storage capacity, under floor approximately 407 cubic feet
10. Entrance door width: 30"
11. Entrance step height: 15"
12. Overhang (include bumper) - front 68.75"
13. Overhang (include bumper) - rear 107.75"
14. Turning radius 41.75'
15. Integral structure is stainless steel and rust protected high tensile steel
16. Stainless steel outer shell up to window level
17. Fuel capacity: 208 gallon with dual fills, driver and passenger sides
18. Axle design load capacity front 18,000 lbs. drive 22,500 lbs. tag 14,000 lbs.
19. Driver's A/C, heating and defrost system
20. A/C blower variable speed control
21. Engine oil and coolant level reserve tanks
22. Fuel filter and water separator with dash warning light
23. Block heater
24. Pantograph windshield wipers with delay feature
25. Rivetless stainless steel exterior
26. Thermal pane seamless windows
27. Selected awning windows equipped with electric open/shut feature
28. Curbside 3-awning windows, 2-full size fixed, 2-1/2 size fixed
29. Roadside 2-awning windows, 2-full size fixed, 2-1/2 size fixed

POWERTRAIN

30. Detroit DDEC V Series 60, 515-HP with 5 YR/250,000 mile protection plan
31. Allison World Transmission HD4060, 6-speed automatic with 5 YR protection plan
32. Jacob two-stage engine brake on all cylinders
33. Cruise control

BRAKES

34. Antilock braking system (ABS)
35. Heavy-duty disc brakes on all wheels
36. Parking brake booster on tag wheels
37. Automatic brake slack adjusters

STEERING & SUSPENSION

38. Steering: Ross full hydraulic integrated power steering with tilt and telescoping column
39. ZF power steering with variable assistance
40. Independent suspension system
41. Front & drive axle sway bars
42. 56 degree turning angle with aluminum wheels
43. Lifiable tag axle
44. Automatic self-leveling system (coach in motion)
45. Integrated pneumatic level-low leveling system (coach in station)

TIRES & WHEELS

46. Michelin 315/80R x 22.5 on drive wheels,

365/70R x 22.5 on front and tag wheels

47. Four 9" polished aluminum rims
48. Four 10-1/2" polished aluminum rims

ELECTRICAL

49. 270-amp alternator, and house batteries
50. 75-amp alternator, 24-Volt for chassis batteries
51. 24-Volt house batteries
52. 4 chassis batteries
53. 12-Volt exterior lighting
54. 12/24-Volt for mechanical systems

INSTALLED EQUIPMENT

55. Ramco painted electric remote heated side view mirrors, flat glass with separate convex on top
56. Back-up alarm with manual shutoff
57. Two docking/cornering lights on each side and two fog lights
58. Entry and bay door locking system
59. 1.5" thick thermal/sound insulation coats entire shell interior
60. Trailer hitch receiver: 20,000 lbs./1,500 lbs.
61. Low fuel warning light
62. Courtesy light blinker switch
63. Courtesy light group for engine and under floor compartments
64. Spare parts kit
65. Emergency road kit

SLIDE-OUT SPECIAL FEATURES

66. Four synchronous gears, one at each corner, produce an ultra-smooth and quiet room operation
67. Computerized electronic control module for fully automated operation
68. Rocker switch slide activation control with 24VDC electric motor with speed reducer plus hexagonal plug for emergency operation
69. Aluminum integral structure room construction for lower weight and greater strength, adding less than 1,500 lbs. to the total shell weight
70. Aircraft-type inflatable twin-blade wiper seal all around the slide-out partition also cleans the slide out lateral skin when retracting
71. Pneumatic pins used to reinforce XLII shell structure on the road
72. Slide-out dimensions
Front Interior: 14'-2" x 2'-6" x 6'-2"
Front Exterior: 14'-6" x 2'-6" x 6'-6"
Rear Interior: 7'-2" x 2' x 4'-11"
Rear Exterior: 7'-6" x 2' x 5'-4"

CONVERSION SPECIFICATIONS

DRIVER AREA FEATURES

1. ISRI driver seat with air base, arm rests and headrest covered in Ultraleather
2. Passenger seat with six-way controls, electric foot rest and recline, covered in Ultraleather
3. Driver's console with storage
4. Passenger console with storage, drink holder and magazine rack
5. Driver/passenger map lights
6. Passenger Crestron center with computer, wireless keyboard, headset and touch screen/monitor
7. Color back-up monitor; 12-disc CD player; single disc GPS navigation system; AM/FM/CD player and satellite tuner
8. Full height windshield for improved visibility
9. Electric privacy shades
10. Heating/cooling/defrost unit with variable speed fan in dash: 37,000 BTU heating; 22,000 BTU cooling

11. Generator switch controls: start/stop switch; automatic stop switch; automatic start switch
12. Tag axle extend and retract control panel
13. Grab rails in entry way
14. Tiled entry steps and landing with lighting
15. Driver and passenger controlled electric flush floor step cover
16. Telephone jack for landline
17. Wood/leather steering wheel, optional

GALLEY AND MAIN SALON FEATURES

18. Conveniently located Crestron touch pad controls
19. Crestron wireless 2-way remote control
20. Italian style high gloss radius wood cabinets or painted radius cabinets
21. Solid surface counter and table tops
22. Custom designed ceiling featuring mirror and stainless steel accents
23. 12-Volt recessed halogen lighting in ceiling throughout coach
24. 12-Volt recessed halogen lighting in bottom of galley overhead
25. 120-Volt wall sconces (varies by floor plan)
26. Electric window shades
27. Tile galley and bath floors
28. Carpeting in salon and bedroom
29. Window boxes with accent lights around openings covered in fabric
30. Surround sound audio/video system with a 37" or 45" LCD TV optional
31. Sofa sleeper in base storage, covered in fabric
32. Occasional chair or recliner (varies by floor plan and seating arrangement)
33. Leather furniture, optional
34. Occasional table or end table (varies by floor plan and seating arrangement)
35. Solid surface galley countertops with solid surface or tile backsplash
36. Under mount stainless steel sink
37. Galley faucet with pull-out sprayer
38. Hot water dispenser
39. GE Advantium micro-oven-hood
40. Deluxe 2-burner cook top
41. Fisher Paykel dish drawer dishwasher
42. Jenn-Air side-by-side refrigerator/freezer with ice and water dispenser in the door
43. Wall mount dinette table with facing dinette or L-shape dinette (varies with floor plan)
44. Accent lights in cabinet toe kicks
45. Heat (electric) in cabinet toe kicks
46. Main switches for generator start/stop
47. 12 Volt power distribution, AC controls, TV antenna, generator controls and gauges (Crestron controlled)
48. Thermostatically controlled variable speed exhaust fans with rain sensor, insulated cover and dome top
49. Burglar alarm with interior motion detector, exterior bay and entry door sensors
50. Telephone jack for landline
51. Portable vacuum cleaner
52. Smoke detector and carbon monoxide detector
53. Fire extinguisher (1) interior and (2) exterior

VANITY AND WATER CLOSET FEATURES

54. Conveniently located Crestron touch pad

controls

55. Italian style high gloss radius wood cabinets or painted radius cabinets
56. Solid surface vanity countertops with solid surface or tile backsplash
57. Top mount vanity sink with faucet
58. Vanity accessories include toilet paper holder, towel rings and towel bar
59. Toilet: White, bone, sand, or black optional colors
60. Mirrors and specialty lighting in each vanity area
61. Custom shower enclosure with glass door, solid surface shower walls and trim
62. Pressure balancing mixer valve in shower with handheld shower head and slide bar.
63. Stacked washer and dryer 110-Volt
64. Full length mirror in bathroom area
65. Tile bathroom floor with electric toe kick heat
66. Thermostatically controlled variable speed exhaust fan with rain sensor, insulated cover and dome
67. Electrically controlled fan in water closet

BEDROOM FEATURES

68. Conveniently located Crestron touch pad controls
69. Custom designed ceiling featuring mirror and stainless steel accents
70. Queen bed with mattress and storage under bed
71. Queen bedspread with bedding and pillows
72. Two nightstands with bedside reading lamps
73. Wall to wall carpeting with mood lights at floor
74. Electric window shades
75. Rear wardrobe with light and electric doors with built-in safe
76. 32" Sharp LCD flat panel color TV with remote control
77. Built-in clothes hamper
78. Safe
79. Telephone jack for landline

HEATING AND COOLING SYSTEM FEATURES

80. HVAC system controlled by Crestron automation
81. Webasto 45,000 BTU diesel fired hydronic heat
82. Electric toe kick heat in kitchen and bath
83. Two 26,000 BTU ceiling ducted heat pumps with dual zones
84. Three thermostatically controlled interior heat zones
85. Heated water bay compartment and storage bay
86. Two rapid recovery 10 gallon electric water heaters with hydronic and motoraid heating

ELECTRICAL SYSTEM FEATURES

87. 17.5 KW turbo charged PTS water-cooled diesel generator, enclosed and mounted on air bags
88. Two 4000 Watt Trace Inverters
89. 12-Volt domestic battery disconnect switch at entry door
90. Automatic AC transfer switch
91. Automatic low-voltage generator start system
92. Generator remote start in galley and dash area
93. Batteries 6 heavy duty, deep cycle, 8D Absorbed Glass Mat, maintenance free
94. 50-amp shore service surge protector
95. 50-amp power extend and retract exterior connection with shore power cord adapters
96. All general purpose receptacles with GFCI protection
97. Chassis battery trickle charger, 5-amp

PLUMBING FEATURES & TANK CAPACITIES

98. Fresh water system composed of freeze-protected cross-linked PEX tubing

- 99. Valve systems on hot and cold water
 - 100. Two rapid recovery 10 gallon electric water heaters with hydronic and motoraid heating
 - 101. 110-volt water pressure system
 - 102. Low point drain valve for fresh water plumbing
 - 103. Electrically actuated double knife valve drain assembly
 - 104. Separate sewer hose carrier compartment
 - 105. City water connection via fresh water hose reel with switch controlled fresh water fill and auto shut-off
 - 106. Water filtration system
 - 107. Holding tank flush systems
 - 108. Exterior hot and cold water sprayer in plumbing bay
 - 109. Fresh water tank, approximately 200 gallons in stainless steel tank
 - 110. Holding tank, approximately 200 gallons in bay
 - 111. Fuel tank 208 gallons, dual fills, driver and passenger sides
- EXTERIOR FEATURES**
- 112. Custom exterior paint graphics
 - 113. Zip Dee New Century electric awnings with front and rear spoilers, painted to match coach
 - 114. Pull out storage tray behind front bumper
 - 115. Exterior porch light
 - 116. Keyless entry
 - 117. Electric TV antenna, TV/cable and telephone hook-up for a landline
 - 118. Track Star In-Motion low profile satellite dish
 - 119. AM/FM antenna
 - 120. Air horn
 - 121. Auxiliary air compressor
 - 122. Compressed air supply connection
 - 123. Power shore cord reel
 - 124. Water hose reel with electric retract
 - 125. Lighted, exterior storage bays, armor-coated and carpeted with 120-Volt receptacles
 - 126. Deluxe stainless steel underbelly trim
 - 127. Deluxe stainless steel outside trim kit
 - 128. Remote controlled spotlight
 - 129. Polished stainless steel exterior trim
 - 130. Stainless front and rear bumper
 - 131. Stainless steel hitch cover and tow vehicle light receptacle
 - 132. Trailer hitch receiver: 20,000-lbs./1,500-lbs.
 - 133. Stainless steel hubcaps
 - 134. Full rear mud flap and mud flap between tag wheels and drive wheels
 - 135. Filters on engine and generator
 - 136. 3M front protection, optional
 - 137. Hinged doors on all roadside, 3rd and 4th bay doors curbside for easy access
 - 138. 15" portable digital wireless TV, optional



Legendary reserves the right to change product specification at any time without notice or obligation.

For warranty & service please see your retailer for complete details.

Legendary Luxury Coach
32900 Roberts Court
Coburg, Oregon 97408
Phone: 877.465.8833